

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	197	((relay\$5 or transit) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:22
S2	2	((relay\$5 or transit) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((notif\$9 or report\$5 or informing or informed or inform) with (capability or capable or attribute or color or monochrome) with (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5)) same ((final or destination or receiv\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:24
S3	3	((relay\$5 or transit) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same3 ((notif\$9 or report\$5 or informing or informed or inform) with (capability or capable or attribute or color or monochrome) with (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:25

S4	8	((relay\$5 or transit or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same3 ((notif\$9 or report\$5 or informing or informed or inform) with (capability or capable or attribute or color or monochrome) with (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:29
S5	15	((relay\$5 or transit or intermediate) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same3 ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:35
S6	0	"6256114".pn. and (pc with inform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:44
S7	0	"6256114".pn. and (pc same inform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:44
S8	0	"6256114".pn. and (pc same notif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:44

S9	248	((relay\$5 or transit or intermediate) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:53
S10	11	S9 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (relay\$5 or transit or intermediate)) same (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:56
S11	9	S10 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (final or destination or receiv\$5 or transfer\$5)) same (transmi\$7 or send\$5 or source or host or initiat\$4 or originat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:56
S12	12	S9 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (relay\$5 or transit or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:00
S13	9	S12 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:00

S14	609	((relay\$5 or transit or intermediate or rout\$5) adj3 (fax or facsimile or mfp or multi\$3function \$5)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:10
S15	13	S14 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (relay\$5 or transit or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:11
S16	62	S14 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (rout\$5 or relay\$5 or transit or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:11
S17	54	S16 and ((notif\$9 or report\$5 or informing or informed or inform) with (size or speed or function or capability or capable or attribute or color or monochrome) with (final or destination or receiv\$5 or transfer \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:11
S19	66	S14 and ((notif\$9 or report\$5 or informing or informed or inform) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with (rout \$5 or relay\$5 or transit or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:17

S20	55	S19 and ((notif\$9 or report\$5 or informing or informed or inform) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:17
S21	66	S14 and ((notice or notif\$9 or report\$5 or informing or informed or inform) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with (rout\$5 or relay\$5 or transit or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 17:23
S22	1694	((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)) same (transmi\$7 or send\$5 or deliver\$5) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:30
S23	72	S22 and ((notice or notif\$9 or report\$5 or informing or informed or inform) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:32

S24	30	S23 and ((notice or notif\$9 or report\$5 or informing or informed or inform) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:32
S25	442	S22 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:45
S26	313	S25 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or function or capability or capable or attribute or color or monochrome) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:46
S27	180	S26 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:46

S28	404	S22 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or function or capability or attribute or color or monochrome) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:50
S29	283	S28 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or function or capability or attribute or color or monochrome) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:50
S30	170	S29 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:50
S31	65	S30 and ((register\$5 or table) with (format\$5 or size or speed or function or capability or attribute or color or monochrome))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:02
S32	248	S22 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or capability or attribute or color or monochrome) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:03

S33	164	S32 and ((transmi\$7 or send\$5 or respon\$5) with (format\$5 or size or speed or capability or attribute or color or monochrome) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function \$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:03
S34	46	S33 and ((register\$5 or table) with (format\$5 or size or speed or function or capability or attribute or color or monochrome))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:03
S35	35	S33 and ((register\$5 or table) with (format\$5 or size or speed or capability or attribute or color or monochrome))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:04
S36	1	"6985242".pn. and server near2 capability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:07
S37	7	S22 and ((register\$5) with (format\$5 or size or speed or capability or attribute or color or monochrome) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function \$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:30
S38	3	S37 and ((register\$5) with (format\$5 or size or speed or capability or attribute or color or monochrome) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function \$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:30



S39	47	S22 and ((register\$5 or stor\$5 or table or lut) with ((communication or transmi\$7 or receiv\$5 or recep\$5) near3 (format\$5 or size or speed or capability or attribute or color or monochrome)) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:32
S40	24	S39 and ((register\$5 or stor\$5 or table or lut) with ((communication or transmi\$7 or receiv\$5 or recep\$5) near3 (format\$5 or size or speed or capability or attribute or color or monochrome)) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:33
S41	1694	((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function\$5)) same (transmi\$7 or send\$5 or deliver\$5) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:03

S42	47	S41 and ((register\$5 or stor\$5 or table or lut) with ((communication or transmi\$7 or receiv\$5 or recep\$5) near3 (format\$5 or size or speed or capability or attribute or color or monochrome)) with ((relay\$5 or transit or intermediate or rout\$5 or central or server) near3 (fax or facsimile or mfp or multi\$3function \$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:03
S43	24	S42 and ((register\$5 or stor\$5 or table or lut) with ((communication or transmi\$7 or receiv\$5 or recep\$5) near3 (format\$5 or size or speed or capability or attribute or color or monochrome)) with ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function \$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:03
S44	1	"6608696".pn. and (notif \$8 with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:20
S45	0	"6608696".pn. and (capability with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:21
S46	1	"6608696".pn. and (g3 with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:21
S47	0	"6608696".pn. and (g3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:22

S48	1	"6608696".pn. and (g3 with stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:22
S49	1	"6608696".pn. and (g3 with register\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:22
S50	1	"6608696".pn. and (register\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:22
S51	13	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5) with (color)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5) with (monochrom\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:25
S52	14	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5) with (color)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5) with (monochrom\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:31

S53	264	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (color)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (monochrom\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:32
S54	3	S53 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (color) with (transmitting or transmitter or sender or sending or originator or originating or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:33
S55	3	S54 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (monochrom\$5) with (transmitting or transmitter or sender or sending or originator or originating or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:33
S56	0	S53 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (busy) with (transmitting or transmitter or sender or sending or originator or originating or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:41

S57	0	S53 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (status) with (transmitting or transmitter or sender or sending or originator or originating or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:41
S58	1103	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with status) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:42
S59	49	S58 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (status) with (transmitting or transmitter or sender or sending or originator or originating or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:42
S60	9	S59 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with register\$5 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:43

S61	10	S59 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function \$5 or printer or printing or copier or copying or scanner or scanning) same register\$5 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:45
S62	21	S59 and ( register\$5 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:45
S63	1	"6614546".pn. and (status near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:04
S64	1	"6614546".pn. and (status near3 display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:05
S65	1	"6614546".pn. and (status with display\$5) same3 display\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:06
S66	0	"881402".ap. and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:10
S67	1	"881402".ap. and "s22"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:10

S68	444	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (capability)) same ((final or destination or receiv\$5 or transfer\$5) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (capability))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:14
S69	3	S68 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (capability) with ((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same (relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) same (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:16
S70	503	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (capability)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:26

		or printing or copier or copying or scanner or scanning) with (capability))				
S71	696	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:29
S72	1281	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:30



S73	7	S72 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (protocol or capability or attribute) with ((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same (relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) same (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:31
S74	21	S72 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (protocol or capability or attribute) with (((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) or user)) same (relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) same (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:34

S75	23	S72 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (protocol or capability or attribute) with (((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) or user or client)) same (relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5) same (final or destination or receiv\$5 or transfer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:35
S76	13	S72 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (protocol or capability or attribute) with (((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) or user or client)) same ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:36

		mfp or multi\$3function \$5 or printer or printing or copier or copying or scanner or scanning)))				
S77	1	"6529286".pn. and ((stor \$5 or memory) with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 10:50
S78	0	"6529286".pn. and ((pcl) with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:52
S79	0	"6529286".pn. and ((communicat\$5) with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:52
S80	0	"6529286".pn. and ((post\$5) with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:52
S81	0	"6529286".pn. and ((color\$5) with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:52
S82	2	"6529286".pn. and (capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:52
S83	0	"6529286".pn. and (capability with busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:53
S84	0	"6529286".pn. and (capability same busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:53
S85	0	"6529286".pn. and (capability with full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:54

S86	0	"6529286".pn. and (queue with full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:54
S87	1	"6529286".pn. and (queue )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 11:54

**9/18/08 2:52:00 PM****C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\09881402.091108.wsp**